

Twofold faceplate, 71 mm centre distance, for use in cable trunking systems, Niko Original white

101-76801

4 year
warranty

This twofold faceplate has a centre-to-centre distance of 71 mm and is suitable for use in trunking systems. Niko Original white,

Technical data

Twofold faceplate, 71 mm centre distance, for use in cable trunking systems, Niko Original white.

- Double faceplate for two switches.
- Colour: white (coloured in mass, approximately NCS S 0502 - Y50R, RAL 9010)
- Text field: faceplate with text field for simple marking and identification. Specially designed for cable trunking systems with a cover opening of 80 mm. Particularly suited to use in e.g. health care, retail, offices, hospitals, etc.
- Frame composition: It is made of dimensionally stable pc+asa.
- Centre-to-centre distance: 71 mm
- Surface-mounting height: max. 9.2 mm
- Fire safety
 - self-extinguishing: complies with a filament test of 650°C
 - halogen-free
- Protection degree: IP41 for the combination of a mechanism, central plate and faceplate
- Impact resistance: The combination of a mechanism, a central plate and a faceplate has an impact-resistance of IK06
- Dimensions (HxWxD): 80 x 150 x 89 mm
- Certification marks: CEBEC, NF, ÖVE, KEMA
- Marking: CE

