



## Niko Hydro

Safety, comfort and design  
in every type of weather

**niko**

# Niko Hydro

Bring the indoors outdoor

An outdoor socket outlet under your carport, a light switch on the wall of your shed or an audio connection on the patio? Meet Niko Hydro, a range of switches, sockets and data connections that are certified splashproof (IP55). This means they can be installed wherever you like. Whether it is outside on your terrace, in your laundry room, or even around your swimming pool.

Designed to withstand wet weather and occasional splashes, Niko safely powers your outdoor environment without compromising on comfort or style. No matter which switch or socket outlet you're looking for, you'll find them all in the Niko Hydro range — in black, white or grey.

**Bring the indoors outside with Niko Hydro, without compromising on safety, comfort or design.**





IP55

complete range of IP55  
splashproof switching material

IK07

sturdy and impact-  
resistant: IK07



highly resistant  
to chemicals



adapter frame for  
media connections



quick and easy  
to assemble



The same method of wiring as  
switches and sockets  
for indoor use



## Easy to install, easy to use

Whether you're working with walls or open spaces, Niko Hydro allows you to safely install your switching material wherever you need it. Even when drilling a hole in the wall isn't an option, or no walls are available. Every Niko Hydro product can be surface-mounted, flush-mounted, or incorporated into a free-standing garden post.

The Niko Hydro range offers a wide array of functions that can be installed anywhere in your garden or on your terrace. This includes 16 A switches, socket outlets, signalling devices, bike charging stations, and key switches. Thanks to a sleek adapter frame, you can even safely install data connections and USB chargers outside.

Whatever your setup is, you will find a solution that blends seamlessly into any environment, combining functionality with design. This flexibility makes it easier than ever to bring the inside outdoors.

# Choose your wall mounting

All Niko Hydro products can be easily flush-mounted or surface-mounted on your walls. Choose the colour - black, white, or traditional grey - and the function that works best for your environment. Each solution accommodates up to two (flush-mounting) or three (surface-mounting), making it ideal for running multiple appliances at the same time.

## Flush-mounting boxes

[Installation in stone walls and panels](#)



## Surface-mounting boxes

[Installation on any type of wall](#)



# Niko Hydro garden post

Electricity in the garden is no longer a luxury. Power your robotic lawn mower, garden lights, or electric tools effortlessly with the Niko Hydro garden post. Holding up to three functions, it combines durability with modern design. Its grey, white, or black colours and stainless-steel design match any garden, patio, or driveway.

Looking for a more basic option? The Niko Hydro garden post essential with double sockets offers an accessible solution for anywhere in your garden.



## Garden post with spike

### Mounting with spike

You can easily install the Niko Hydro garden post in outdoor areas with soft surfaces such as grass or flower beds, thanks to a spike that can be driven into the ground.



## Garden post with base plate

### Mounting with base plate

For outdoor installations on hard surface areas such as terraces, patios or driveways, the Niko Hydro garden post comes with a base plate that can be fixed to the ground.




## Niko Hydro garden post essential

Enjoy easy power access in your garden with two pre-wired horizontal socket outlets. Place it in soft subsoil, such as grass or flower beds. Ideal for charging tools, remote working in the garden, or connecting lights.

# Niko Hydro garden post



# Niko Hydro garden post essential





# Product overview

## Flush-mounting boxes

| Reference number |       |       |        | Product  |
|------------------|-------|-------|--------|--|
| grey             | white | black | suffix | description  |
| 700-             | 701-  | 761-  | 73000  | Splashproof single flush-mounting box for one function             |
| 700-             | 701-  | 761-  | 74000  | Splashproof double vertical flush-mounting box for two functions   |
| 700-             | 701-  | 761-  | 75000  | Splashproof double horizontal flush-mounting box for two functions |

## Surface-mounting boxes

| Reference number |       |       |        | Product   |
|------------------|-------|-------|--------|---|
| grey             | white | black | suffix | description   |
| 700-             | 701-  | 761-  | 83101  | Splashproof single surface-mounting box with two single flexible inputs for one function  |
| 700-             | 701-  | 761-  | 83201  | Splashproof double vertical surface-mounting box with two single flexible inputs for two functions  |
| 700-             | 701-  | 761-  | 84101  | Splashproof single surface-mounting box with one M20 input for one function   |
| 700-             | 701-  | 761-  | 84102  | Splashproof single surface-mounting box with one double M20 input for one function  |
| 700-             | 701-  | 761-  | 84111  | Splashproof single surface-mounting box with two single M20 inputs for one function   |
| 700-             | 701-  | 761-  | 84112  | Splashproof single surface-mounting box with one double M20 input and one single M20 input for one function   |
| 700-             | 701-  | 761-  | 84151  | Splashproof single surface-mounting box with one M20 input with cable gland for one function  |
| 700-             | 701-  | 761-  | 84152  | Splashproof single surface-mounting box with one double M20 input with cable glands for one function  |
| 700-             | 701-  | 761-  | 84161  | Splashproof single surface-mounting box with one M20 input with cable gland at the top and bottom for one function                                      |
| 700-             | 701-  | 761-  | 84162  | Splashproof single surface-mounting box with one double M20 input with cable gland and one single M20 input with cable gland for one function           |
| 700-             | 701-  | 761-  | 84201  | Splashproof double vertical surface-mounting box with one M20 input for two functions   |
| 700-             | 701-  | 761-  | 84202  | Splashproof double vertical surface-mounting box with one double M20 input for two functions  |
| 700-             | 701-  | 761-  | 84211  | Splashproof double vertical surface-mounting box with two single M20 inputs for two functions   |
| 700-             | 701-  | 761-  | 84212  | Splashproof double vertical surface-mounting box with one double M20 input and one single M20 input for two functions                                   |
| 700-             | 701-  | 761-  | 84302  | Splashproof threefold vertical surface-mounting box with one double M20 input for three functions   |
| 700-             | 701-  | 761-  | 84352  | Splashproof vertical threefold surface-mounting box with one double M20 input with glands for three functions   |
| 700-             | 701-  | 761-  | 84251  | Splashproof double vertical surface-mounting box with one M20 input with cable gland for two functions  |
| 700-             | 701-  | 761-  | 84252  | Splashproof double vertical surface-mounting box with one double M20 input with cable glands for two functions  |
| 700-             | 701-  | 761-  | 84261  | Splashproof double vertical surface-mounting box with one M20 input with cable gland at the top and bottom for two functions                            |
| 700-             | 701-  | 761-  | 84262  | Splashproof double vertical surface-mounting box with one double M20 input with cable gland and one single M20 input with cable gland for two functions |
| 700-             | 701-  | 761-  | 84801  | Splashproof double horizontal surface-mounting box with one M20 input for two functions   |
| 700-             | 701-  | 761-  | 84802  | Splashproof double horizontal surface-mounting box with one double M20 input for two functions  |
| 700-             | 701-  | 761-  | 84851  | Splashproof double horizontal surface-mounting box with one M20 input with cable gland for two functions  |
| 700-             | 701-  | 761-  | 84852  | Splashproof double horizontal surface-mounting box with one double M20 input with cable glands for two functions  |
| 700-             | 701-  | 761-  | 84902  | Splashproof threefold horizontal surface-mounting box with one double M20 input for three functions   |
| 700-             | 701-  | 761-  | 84952  | Splashproof horizontal threefold surface-mounting box with one double M20 input with cable glands for three functions                                   |



### Surface-mounting boxes with socket outlets

| Reference number |       |       |                   |                 | Product  |
|------------------|-------|-------|-------------------|-----------------|--|
| grey             | white | black | plug-in terminals | screw terminals | description  |
| 700-             | 701-  | 761-  | 37753             | 37748           | Splashproof double horizontal wall socket with pin earthing, shutters; includes surface-mounting box with one input on the upper side                    |
| 700-             | 701-  | 761-  | 37754             | 37749           | Splashproof double horizontal wall socket with pin earthing, shutters; includes surface-mounting box with two inputs on the upper side                   |
| 700-             | 701-  | 761-  | 37735             | 37730           | Splashproof double vertical wall socket with pin earthing, shutters; includes surface-mounting box with two inputs on the upper side                     |
| 700-             | 701-  | 761-  | 37845             | 37842           | Splashproof double vertical surface-mounting socket outlet 16 A/250 Vac with shutters and pre-wired – includes box with one M20 input with cable gland   |
| 700-             | 701-  | 761-  | 37835             | 37832           | Splashproof double vertical surface-mounting socket outlet 16 A/250 Vac with shutters and pre-wired – includes box with two M20 inputs with cable gland  |
| 700-             | 701-  | 761-  | 37846             | 37848           | Splashproof double horizontal surface-mounting socket outlet 16 A/250 Vac with shutters and pre-wired – includes box with one M20 input with cable gland |
| 700-             | 701-  | 761-  | 37832             | 37838           | Splashproof double vertical surface-mounting socket outlet 16 A/250 Vac with shutters and pre-wired – includes box with two M20 inputs with cable gland  |

## Garden posts

| Reference number |       |       |        | Product   |
|------------------|-------|-------|--------|---|
| grey             | white | black | suffix | description   |
| 700-             | 701-  | 761-  | 36810  | Splashproof garden post with spike for a single Niko Hydro function     |
| 700-             | 701-  | 761-  | 36910  | Splashproof garden post with baseplate for a single Niko Hydro function |
| 700-             | 701-  | 761-  | 36820  | Splashproof garden post with spike for two Niko Hydro functions         |
| 700-             | 701-  | 761-  | 36920  | Splashproof garden post with baseplate for two Niko Hydro functions     |
| 700-             | 701-  | 761-  | 36830  | Splashproof garden post with spike for three Niko Hydro functions       |
| 700-             | 701-  | 761-  | 36930  | Splashproof garden post with baseplate for three Niko Hydro functions   |

## Garden posts with socket outlets

| Reference number |       |       |                   | Product  |
|------------------|-------|-------|-------------------|--|
| grey             | white | black | plug-in terminals | description  |
| 700-             | 701-  | 761-  | 36615             | Splashproof garden post with single socket outlet, pin earthing and spike          |
| 700-             | 701-  | 761-  | 36625             | Splashproof garden post with double socket outlet, pin earthing and spike          |
| 700-             | 701-  | 761-  | 36635             | Splashproof garden post with threefold socket outlet, pin earthing and spike       |
| 700-             | 701-  | 761-  | 36715             | Splashproof garden post with single socket outlet, pin earthing and baseplate      |
| 700-             | 701-  | 761-  | 36725             | Splashproof garden post with double socket outlet, pin earthing and baseplate      |
| 700-             | 701-  | 761-  | 36735             | Splashproof garden post with threefold socket outlet, pin earthing and baseplate   |
| 700-             | 701-  | 761-  | 36815             | Splashproof garden post with single socket outlet, side earthing and spike         |
| 700-             | 701-  | 761-  | 36825             | Splashproof garden post with double socket outlet, side earthing and spike         |
| 700-             | 701-  | 761-  | 36835             | Splashproof garden post with threefold socket outlet, side earthing and spike      |
| 700-             | 701-  | 761-  | 36915             | Splashproof garden post with single socket outlet, side earthing and baseplate     |
| 700-             | 701-  | 761-  | 36925             | Splashproof garden post with double socket outlet, side earthing and baseplate     |
| 700-             | 701-  | 761-  | 36935             | Splashproof garden post, with threefold socket outlet, side earthing and baseplate |

## Garden post essential

| Reference number |        | Product   |
|------------------|--------|---|
| black            | suffix | description   |
| 761-             | 36655  | Splashproof garden post essential with double socket outlet, side earthing, black                     |
| 761-             | 36855  | Splashproof garden post essential with double socket outlet 16 AX/250 Vac, side earthing, black, IP55 |
| 761-             | 36654  | Splashproof garden post essential with double socket outlet, pin earthing, black                      |

## Switches and socket outlets

excluding flush-mounting box, surface-mounting box or garden post

















| Reference number |       |       |                   |                 | Product   |
|------------------|-------|-------|-------------------|-----------------|---|
| grey             | white | black | plug-in terminals | screw terminals | description   |
| 700-             | 701-  | 761-  | 36605             | 36600           | Splashproof socket outlet 16 A/250 Vac with pin earthing, shutters  |
| 700-             | 701-  | 761-  | 36805             | 36800           | Splashproof socket outlet 16 A/250 Vac with side earthing, shutters   |
| 700-             | 701-  | 761-  | 36675             | 36670           | Splashproof bike charging station 16 A/250 Vac with pin earthing, shutters  |
| 700-             | 701-  | 761-  | 36875             | 36870           | Splashproof bike charging station 16 A/250 Vac with side earthing, shutters   |
| 700-             | 701-  | 761-  | 31205             | 31200           | Splashproof two-pole switch 10 AX/250 Vac   |
| 700-             | 701-  | 761-  | 31605             | 31600           | Splashproof two-way switch 10 AX/250 Vac  |
| 700-             | 701-  | 761-  | 31705             | 31700           | Splashproof intermediate switch 10 AX/250 Vac   |
| 700-             | 701-  | 761-  |                   | 31300           | Splashproof two-pole switch 16 AX/250 Vac with screw terminals  |
| 700-             | 701-  | 761-  |                   | 31616           | Splashproof two-way switch 16 AX/250 Vac with screw terminals   |
| 700-             | 701-  | 761-  | 31505             | 31500           | Splashproof two-circuit switch 10 AX/250 Vac  |
| 700-             | 701-  | 761-  | 32605             | 32600           | Splashproof double two-way switch 10 AX/250 Vac   |
| 700-             | 701-  | 761-  | 37205             | 37200           | Splashproof two-pole control switch 10 AX/250 Vac with transparent window, excluding lighting elements              |
| 700-             | 701-  | 761-  | 37605             | 37600           | Splashproof two-way control switch 10 AX/250 Vac with transparent window, excluding lighting elements               |
| 700-             | 701-  | 761-  | 35905             | 35900           | Splashproof roll-down shutter switch 10 AX/250 Vac, mechanically locked and galvanically isolated                   |
| 700-             | 701-  | 761-  | 35915             | 35910           | Splashproof roll-down shutter push button 10 A/250 Vac, mechanically locked and galvanically isolated               |
| 700-             | 701-  | 761-  | 30005             | 30000           | Splashproof, illuminable push button 10 A/250 Vac with transparent window and a N.O. or N.C. contact                |
| 700-             | 701-  | 761-  | 33005             | 33000           | Splashproof, non-illuminable single push button 10 A/250 Vac with 4 connection terminals and a N.O. or N.C. contact |
| 700-             | 701-  | 761-  | 35105             | 35100           | Splashproof, illuminable double push button 10 A/250 Vac with 2 N.O. or N.C. contacts                               |
| 700-             | 701-  | 761-  | 35005             | 35000           | Splashproof, non-illuminable double push button 10 A/250 Vac with 2 N.O. or N.C. contacts                           |
| 700-             | 701-  | 761-  |                   | 38700           | Splashproof key switch 10 A with screw terminals  |
| 700-             | 701-  | 761-  |                   | 38800           | Splashproof key switch 16 A with screw terminals  |

## Accessories

| Reference number |       |       |        | Product   |
|------------------|-------|-------|--------|---|
| grey             | white | black | suffix | description   |
| 700-             | 701-  | 761-  | 85000  | Adapter frame with hinged lid suitable for 45 x 45 mm functions in splashproof mounting boxes |
| 700-             | 701-  | 761-  | 38500  | Splashproof blind plate   |
| 700-             | 701-  | 761-  | 84001  | Splashproof M20 cable gland   |
| 700-             | 701-  | 761-  | 84000  | Splashproof M20 blind plug  |
| 700-             |       |       | 30100  | Bell symbol for splashproof control switches and splashproof illuminable push buttons         |
| 700-             |       |       | 30200  | Lamp symbol for splashproof control switches and splashproof, illuminable push buttons        |
| 700-             |       |       | 30300  | Key symbol for splashproof control switches and splashproof illuminable push buttons          |
| 700-             |       |       | 38100  | Splashproof signalling device with transparent lens and LEDs (LED colour: red), white         |
| 700-             |       |       | 38200  | Splashproof signalling device with transparent lens and LEDs (LED colour: white), white       |
| 700-             | 701-  | 761-  | 36709  | Powder-coated baseplate for splashproof garden posts  |
| 700-             |       |       | 36609  | Spike for splashproof garden posts  |
| 700-             | 701-  | 761-  | 36099  | Powder-coated spare screw for splashproof garden posts  |



# Functions

|                          |   |  |   |
|--------------------------|---|--|---|
| Bike charging station    |    | Push button  |    |
| Socket outlet            |    | Double push button   |    |
| Switch                   |    | Illuminable push button  |    |
| Double switch            |   | Double illuminable push button   |   |
| Control switch           |  | Roll-down shutter push button  |  |
| Roll-down shutter switch |  | Blind plate  |  |
| Key switch 10 A          |  | Signalling device with white or red LEDs   |  |
| Key switch 16 A          |  | Adapter frame with lid for 45x45mm devices (coax and RJ45 connections, dual smart USB-A charger, dual smart USB-A and USB-C charger) |  |







# Belgian craftsmanship at its finest

Niko Hydro is a testament to our long-standing tradition of Belgian craftsmanship. All products are made in Belgium, from cutting and bending stainless steel to powder coating and assembly. By keeping design and manufacturing local, we uphold our commitment to delivering the quality and durability Niko products are known for — making them easy to install, use, and trust.

## Enjoy a 4-year warranty

At Niko, we stand by the quality of our products. That's why our switching materials exceed the standard two-year legal warranty, offering a four-year guarantee. All products undergo rigorous inspections at every stage of production, ensuring peace of mind with every purchase.

Niko designs electr(on)ic solutions to enhance buildings to better suit the needs of the people who live and work in them. By using less energy, by improving light comfort and safety and by making sure all applications work together seamlessly. Buildings with Niko are more efficient, are controllable from a distance and interact within bigger ecosystems. Niko is a Belgian family business from Sint-Niklaas with 700 employees and 10 European branches.

At Niko, there is one question that keeps us busy every day: "How can we enhance buildings to better suit your needs?"

**nv Niko sa**  
Industriepark West 40  
9100 Sint-Niklaas  
Belgium  
[sales.be@niko.eu](mailto:sales.be@niko.eu)  
+32 3 778 90 00  
[www.niko.eu](http://www.niko.eu)

**niko**

PF-1265-11