

Motion detector, 230 V, 14 m, round, for flush-mounting box, white

351-25340

4 year warranty

Motion detector with strong detection, for universal use thanks to versatile accessories, external switch (ON). Ideal for passageways.
Finishing colour: white


- The motion detector for each standard applications
- Separate setting for the lux, the switch-off delay and the sensitivity
- Low consumption (0.25 W)
- Surface-mounting boxes available separately

Motion detector for the stairwell, cellar, small meeting rooms, etc.


- The lighting remains on while there is motion
- You can programme it manually or using the optional remote control
- You can always be certain of excellent detection thanks to the three PIR sensors.




Detection range




H	A Across	B Towards
2 m	ø 10 m	ø 5 m
2.5 m	ø 12 m	ø 6 m
3 m	ø 14 m	ø 7 m
3.5 m	ø 16 m	ø 8 m
4 m	ø 16 m	ø 8 m
5 m	ø 16 m	ø 8 m
6 m	ø 16 m	ø 8 m




230 V




stand-alone




360°



ø 14 m from
a height of
3 m



2 – 6 m



flush-
mounting
box

niko


Technical data

Article number	351-25340
Input voltage	230 Vac \pm 10 %, 50 Hz
Detector output	230 V (ON/OFF)
Maximum MCB rating	10 A (limited by national installation rules)
Relay contact	N.O. (max. 10 A)
Maximum load incandescent and halogen lamps ($\cos\phi = 1$)	2300 W
Maximum load economy lamps (CFLi)	350 W
Maximum load LED lamps 230 V	350 W
Light intensity range	5 lux – 2000 lux
Number of channels	1 channel
Switch-off delay	pulse, 10 s – 20 min
Detection angle	360°
Detection range (PIR)	ø 14 m from a height of 3 m
Ambient temperature	-20 – +40 °C
Mounting method	flush-mounting box
Mounting height	2 – 6 m
Dimensions visible (HxWxD)	105 x 105 x 35 mm
Dimensions (HxWxD)	105 x 105 x 71 mm
Protection degree	IP20
Marking	CE

Accessories

350-41936	Universal remote control for smartphone
351-25320	IR remote control
351-25310	IR remote control for users
351-25420	Surface-mounting box, white
351-25330	Cover plate, white

Dimensions



Wiring diagram

