



# ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **9460-014-09**

Valid from: 2025 02 16  
until: 2027 02 16

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Certificate holder: **NIKO N.V.**  
Industriepark-West 40  
9100 Sint-Niklaas  
Belgium

Product: **Switches for household and similar fixed installations, Series HYDRO**

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the certificate holder holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s): **3444-1563/10-NA1**

**Österreichischer Verband für Elektrotechnik**  
Head of OVE Certification

*T. Neumayer*

Digitally signed by T. Neumayer  
Email=[t.neumayer@ove.at](mailto:t.neumayer@ove.at)

Dipl.-Ing. T. Neumayer

Wien, 2025 02 04



## OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



**Manufacturer:**

NIKO N.V.  
Industriepark-West 40  
9100 Sint-Niklaas  
Belgium

**Factory location(s):**

NIKO N.V.  
Industriepark-West 40  
9100 Sint-Niklaas  
Belgium

**Tested and certified according to:**

OVE EN 60669-1:2019-04-01

This certificate is the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity of the certified product(s) with the listed standards as defined by the **EU Low-Voltage Directive 2014/35/EU**. For the presumption of conformity according to Art. 12 with the safety objectives according to Art. 3 of the Directive, transitional periods given in the Official Journal of the European Union have to be observed.

**Product: Switches for household and similar fixed installations, Series HYDRO**

**Type designation:**  
**Rating:**

**Trademark:**

**7\*\*-31200+-31**  
Rated voltage: AC 250 V  
Rated current: 10 AX  
IP55  
pattern 2 + single actuating member

NIKO

**7\*\*-31300+-31**  
Rated voltage: AC 250 V  
Rated current: 16 AX  
IP55  
pattern 2 16A + single actuating member

NIKO

**7\*\*-31600+-31**  
Rated voltage: AC 250 V  
Rated current: 10 AX  
IP55  
pattern 6 + single actuating member

NIKO

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**7\*\*-31616+-31**

NIKO

Rated voltage: AC 250 V

Rated current: 16 AX

IP55

pattern 6 16A + single actuating member

**7\*\*-31700+-31**

NIKO

Rated voltage: AC 250 V

Rated current: 10 AX

IP55

pattern 7 + single actuating member

**7\*\*-31500+-350**

NIKO

Rated voltage: AC 250 V

Rated current: 10 AX

IP55

pattern 5 + double actuating member

**7\*\*-32600+-350**

NIKO

Rated voltage: AC 250 V

Rated current: 10 AX

IP55

pattern 6+6 + double actuating member

**7\*\*-31200+-37**

NIKO

Rated voltage: AC 250 V

Rated current: 10 AX

IP55

pattern 2 (control) + single actuating member

**7\*\*-37600+-37**

NIKO

Rated voltage: AC 250 V

Rated current: 10 AX

IP55

pattern 6 (control) + single actuating member

**7\*\*-35900+-350**

NIKO

Rated voltage: AC 250 V

Rated current: 10 AX

IP55

pattern 4 + double actuating member

**7\*\*-35910+-350**

NIKO

Rated voltage: AC 250 V

Rated current: 10 A

IP55

pattern 4 2xpush-button + double actuating member

**7\*\*-33000+-37**

NIKO

Rated voltage: AC 250 V

Rated current: 10 A

IP55

pattern 6 push-button + single actuating member

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**7\*\*-33000+-31**

NIKO

Rated voltage: AC 250 V

Rated current: 10 A

IP55

pattern 6 push-button + single actuating member

**7\*\*-35000+-350**

NIKO

Rated voltage: AC 250 V

Rated current: 10 A

IP55

pattern 6 push-button+6 push-button + double actuating member

**7\*\*-35000+-351**

NIKO

Rated voltage: AC 250 V

Rated current: 10 A

IP55

pattern 6 push-button+6 push-button + double actuating member

---

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

## Boxes

7**-83101	surface mounting box for 1 function with membranes
7**-83201	vertical surface mounting box for 2 functions with membranes
7**-84101	surface mounting box for 1 function with 1 M20 entry
7**-84111	surface mounting box for 1 function with 2x1 M20 entry
7**-84102	surface mounting box for 1 function with 1x2 M20 entries
7**-84112	surface mounting box for 1 function with 1x2 M20 entries + 1 M20 entry
7**-84201	vertical surface mounting box for 2 functions with 1 M20 entry
7**-84211	vertical surface mounting box for 2 functions with 2x1 M20 entry
7**-84202	vertical surface mounting box for 2 functions with 1x2 M20 entries
7**-84212	vertical surface mounting box for 2 functions with 1x2 M20 entries + 1 M20 entry
7**-84302	vertical surface mounting box for 3 functions with 1x2 M20 entries
7**-84801	horizontal surface mounting box for 2 functions with 1 M20 entry
7**-84802	horizontal surface mounting box for 2 functions with 1x2 M20 entries
7**-84902	horizontal surface mounting box for 3 functions with 1x2 M20 entries
7**-73000	flush mounting box for 1 function
7**-74000	vertical flush mounting box for 2 functions
7**-75000	horizontal flush mounting box for 2 functions

7\*\* can refer to the following colours:

- 700: grey
- 701: white
- 761: black

## OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.